

Please type a plus sign (+) inside this box

PTO/SB/08B (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 3 of

Complete if Known

Application Number 09/745825
Filing Date December 21, 2001
First Named Inventor CHISHTI, MUHAMMAD
Group Art Unit 3732
Examiner Name Unassigned
Attorney Docket Number 018563-002500US

U.S. PATENT DOCUMENTS

| Examiner Initials * | Cite No. ¹ | U.S. Patent Document | | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
|------------------------|--------------------------|----------------------|--------------------------------------|--|--|--|
| | | Number | Kind Code ² (if known) | | | |
| ✓ | AA | 3,660,900 | | Andrews | 05/09/1972 | |
| | AB | 3,860,803 | | Levine | 01/14/1975 | |
| | AC | 4,504,225 | | Yoshii | 03/12/1985 | |
| | AD | 4,505,673 | | Yoshii | 03/19/1985 | |
| | AE | 4,755,139 | | Abbatte et al. | 07/05/1988 | |
| | AF | 4,798,534 | | Breads | 01/17/1989 | |
| | AG | 4,856,991 | | Breads et al. | 08/15/1989 | |
| | AH | 4,936,862 | | Walker et al. | 06/26/1990 | |
| | AI | 5,011,405 | | Lemchen | 04/30/1991 | |
| | AJ | 5,017,133 | | Miura | 5/21/1991 | |
| | AK | 5,035,613 | | Breads et al. | 07/30/1991 | |
| | AL | 5,055,039 | | Abbatte et al. | 10/08/1991 | |
| | AM | 5,059,118 | | Breads et al. | 10/22/1991 | |
| | AN | 5,139,419 | | Andreiko et al. | 08/18/1992 | |
| | AO | 5,186,623 | | Breads et al. | 02/16/1993 | |
| | AP | 5,273,429 | | Rekow et al. | 12/28/1993 | |
| | AQ | 5,338,198 | | Wu et al. | 08/16/1994 | |
| | AR | 5,340,309 | | Robertson | 08/23/1994 | |
| | AS | 5,342,202 | | Deshayes | 08/30/1994 | |
| | AT | 5,368,478 | | Andreiko et al. | 11/29/1994 | |
| | AU | 5,382,164 | | Stern | 01/17/1995 | |
| | AV | 5,395,238 | | Andreiko et al. | 03/07/1995 | |
| | AW | 5,431,562 | | Andreiko et al. | 07/11/1995 | |
| | AX | 5,447,432 | | Andreiko et al. | 09/05/1995 | |
| | AY | 5,452,219 | | Dehoff et al. | 09/19/1995 | |
| | AZ | 5,454,717 | | Andreiko et al. | 10/03/1995 | |
| | BA | 5,456,600 | | Andreiko et al. | 10/10/1995 | |
| | BB | 5,474,448 | | Andreiko et al. | 12/12/1995 | |
| | BC | 5,533,895 | | Andreiko et al. | 07/09/1996 | |
| | BD | 5,542,842 | | Andreiko et al. | 08/06/1996 | |
| | BE | 5,549,476 | | Stern | 08/27/1996 | |
| | BF | 5,587,912 | | Andersson et al. | 12/24/1996 | |
| | BG | 5,605,459 | | Kuroda et al. | 02/25/1997 | |
| | BH | 5,607,305 | | Andersson et al. | 03/04/1997 | |
| ✓ | BI | 5,621,648 | | Crump | 04/15/1997 | |

Examiner
Signature

Date
Considered

9/2/02

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.
PA 3191985 v1

Please type a plus sign (+) inside this box

PTO/SB/08B (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 4 of

Complete if Known

| | |
|------------------------|-------------------|
| Application Number | 09/745825 |
| Filing Date | December 21, 2001 |
| First Named Inventor | CHISHTI, MUHAMMAD |
| Group Art Unit | 3732 |
| Examiner Name | Unassigned |
| Attorney Docket Number | 018563-002500US |

U.S. PATENT DOCUMENTS

| Examiner Initials * | Cite No. ¹ | U.S. Patent Document | | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
|---------------------|-----------------------|----------------------|-----------------------------------|---|--|---|
| | | Number | Kind Code ² (if known) | | | |
| g | BJ | 5,645,421 | | Slootsky | 07/08/1997 | |
| g | BK | 5,683,243 | | Andreiko et al. | 11/04/1997 | |

FOREIGN PATENT DOCUMENTS

| Examiner Initials * | Cite No. ¹ | Foreign Patent Document | | | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T ⁶ |
|---------------------|-----------------------|-------------------------|---------------------|-----------------------------------|---|--|---|----------------|
| | | Office ³ | Number ⁴ | Kind Code ⁵ (if known) | | | | |
| g | BL | France | 2,369,828 | | | 06/02/1978 | | |
| g | BM | PCT | WO 94/10935 | | | 05/26/1994 | | |

OTHER PRIOR ART -- NON PATENT LITERATURE DOCUMENTS

| Examiner Initials * | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ² |
|---------------------|-----------------------|---|----------------|
| g | BN | Chiappone, Constructing the Gnathologic Setup and Positioner, <i>J. Clin. Orthod.</i> , Vol. 14, No. 2, 02/80, pp. 121-133. | |
| g | BO | Cottingham, Gnathologic Clear Plastic Positioner, <i>Am. J. Orthod.</i> , Vol. 55, No. 1, 01/69, pp. 23-31. | |
| g | BP | Cureton, Correcting Malaligned Mandibular Incisors with Removable Retainers, <i>J. Clin. Orthod.</i> , Vol. 30, No. 7, 07/96, pp. 390-395. | |
| g | BQ | Elsasser, Some Observations on the History and Uses of the Kesling Positioner, <i>Am. J. Orthod.</i> , Vol. 36, 01-12/50, pp. 368-374. | |
| g | BR | Kamada et al., Construction of Tooth Positioners with LTV Vinyl Silicone Rubber and Some Case Reports, <i>J. Nihon University School of Dentistry</i> Vol. 24, No. 1, 03/82, pp. 1-27. | |
| g | BS | Kesling, the Philosophy of the Tooth Positioning Appliance, <i>Am. J. Orthod. Oral. Surg.</i> , Vol. 31, No. 6, 06/45, pp. 297-304. | |
| g | BT | Kesling, Coordinating the Predetermined Pattern and Tooth Positioner with Conventional Treatment, <i>Am. J. Orthod. Oral. Surg.</i> , Vol. 32, No. 5, 05/46, pp. 285-293. | |
| g | BU | Kleeman et al., The Speed Positioner, <i>J. Clin. Orthod.</i> , Vol. 30, No. 12, 12/96, pp. 673-680. | |
| g | BV | Kuroda et al., Three-dimensional Dental Cast Analyzing System Using Laser Scanning, <i>Am. J. Orthod. Dentofac. Orthop.</i> , Vol. 110, No. 4, 10/96, pp. 365-369. | |

Examiner Signature

Chiffa No


Date Considered

9/2/02

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231. PA 3191985 v1



Please type a plus sign (+) inside this box

PTO/SB/08B (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Complete if Known

| | |
|------------------------|-------------------|
| Application Number | 09/745825 |
| Filing Date | December 21, 2001 |
| First Named Inventor | CHISHTI, MUHAMMAD |
| Group Art Unit | 3732 |
| Examiner Name | Unassigned |
| Attorney Docket Number | 018563-002500US |

Sheet 5 of

FOREIGN PATENT DOCUMENTS

| Examiner Initials* | Cite No. ¹ | Foreign Patent Document | | | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | |
|--------------------|-----------------------|-------------------------|---------------------|-----------------------------------|--|--|---|--|
| | | Office ³ | Number ⁴ | Kind Code ⁵ (if known) | | | | |
| a | BW | | | | Nishiyama et al., a New Construction of Tooth Positioner by Ltv Vinyl Silicone Rubber, <i>J. Nihon Univ. School of Dentistry</i> , Vol. 19, No. 2, 06/77, pp. 93-102. | | | |
| C | BX | | | | Sheridan, Moving Teeth with Essix™ Appliances: Windows & Divots™, Essix™ Appliances, Fabrication, Application and Rationale, <i>Raintree Essix & ARS Materials, Inc., Technical Magazine</i> , http://www.essix.com/magazine/default.html , 08/97, 7 pgs. | | | |
| | BY | | | | Shilliday, Minimizing Finishing Problems with the Mini-positioner, <i>Am. J. Orthod.</i> Vol. 59, No. 6, 06/71, pp. 596-599. | | | |
| | BZ | | | | Warunek et al., Physical and Mechanical Properties of Elastomers in Orthodontic Positioners, <i>Am. J. Orthod. Dentofac. Orthop.</i> Vol. 95, No. 5, 05/89, pp. 388-400. | | | |
| | CA | | | | Wells, Application of the Positioner Appliance in Orthodontic Treatment, <i>Am. J. Orthodont.</i> Vol. 58, No. 4, 10/70, pp. 351-366. | | | |
| | CB | | | | Yoshii, Research on a New Orthodontic Appliance: The Dynamic Positioner (D.P.)-I. The D.P. Concept and Implementation of Transparent Silicone Resin (Orthocon), <i>Nippon Dental Review</i> , Vol. 452, 06/80, pp. 61-74. | | | |
| | CC | | | | Yoshii, Research on a New Orthodontic Appliance: The Dynamic Positioner (D.P.)-II. The D.P. Manufacturing Procedure and Clinical Applications, <i>Nippon Dental Review</i> , Vol. 454, 08/80, pp. 107-130. | | | |
| | CD | | | | Yoshii, Research on a New Orthodontic Appliance: The Dynamic Positioner (D.P.)-III. The General Concept of the D.P. Method and its Therapeutic Effect, Part 1. Dental and Functional Reversed Occlusion Case Reports, <i>Nippon Dental Review</i> , Vol. 457, 11/80, pp. 146-164. | | | |
| C | CE | | | | Yoshii, Research on a New Orthodontic Appliance: The Dynamic Positioner (D.P.)-III. The General Concept of the D.P. Method and its Therapeutic Effect, Part 2. Skeletal Reversed Occlusion Case Reports, <i>Nippon Dental Review</i> , Vol. 458, 12/80, pp. 112-129. | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

PA 3191985 v1

Examiner Signature

Chaffin

Date Considered

9/2/02

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PA 3191985 v1